

V - REACTIVITY INFORMATION

STABILITY <input checked="" type="checkbox"/> STABLE <input type="checkbox"/> UNSTABLE	CONDITIONS TO AVOID None
HAZARDOUS DECOMPOSITION PRODUCTS May liberate hydrogen gas.	
HAZARDOUS POLYMERIZATION <input type="checkbox"/> MAY OCCUR <input checked="" type="checkbox"/> WILL NOT OCCUR	CONDITIONS TO AVOID None
INCOMPATIBILITY (MATERIALS TO AVOID) <input type="checkbox"/> WATER <input checked="" type="checkbox"/> OTHER Hydrofluoric acid and strong alkalis.	

VI - SPILL OR LEAK PROCEDURE INFORMATION

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED If uncontaminated, collect substance using vacuum. If contaminated, use appropriate method of collection and storage in accordance with local, state and federal regulations.
WASTE DISPOSAL METHODS Normal disposal. Keep out of drains, as substance may clog or plug up drains and pipes.

VII - SPECIAL PROTECTION INFORMATION

VENTILATION TYPE Local ventilation acceptable, except above TLV level, then use mechanical vent.	
RESPIRATORY PROTECTION NIOSH-approved respirator in dusty environment.	
PROTECTIVE GLOVES Rubber or equivalent	EYE PROTECTION Dust goggles as needed.
OTHER PROTECTIVE EQUIPMENT Long-sleeve shirt, full-length trousers and water-proof boots recommended.	

VIII - STORAGE AND HANDLING INFORMATION

STORAGE TEMPERATURE MAX. N/A MIN.	INDOOR N/A	HEATED N/A	REFRIGERATED N/A	OUTDOOR N/A
Take normal precautions against spillage of bulk material. Avoid creation of respirable dust. Avoid storage in a wet or moist environment.				

IX - TOXICITY INFORMATION.

Prolonged overexposure to the silica dust above threshold limit value may cause scarring of the lungs, with cough and shortness of breath present. This product contains crystalline silica and traces of compounds of arsenic and lead, chemicals listed by the State of California (Prop 65) as causing cancer or reproductive toxicity.
--

X - MISCELLANEOUS INFORMATION

WARNING: Excessive inhalation of dust results in respiratory disease, including silicosis and pulmonary fibrosis. Avoid breathing or creating dust. Warn workers of possible hazards of breathing this material (dust). Use barrier creams to protect skin. The International Agency for Research (IARC) evaluated that there is "limited evidence" for the carcinogenicity of crystalline silica with respect to humans. Advise and recommend workers to use appropriate protective clothing and equipment. Regarding the "1" toxicity rating, it should be noted that a worker exposed to this product for the majority of his working experience may develop more serious health concerns than the occasional user.
--

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULT TO BE OBTAINED FROM THE USE THEREOF.

PRECAST PATCH™