REBAR CLIP

Especially low-priced spacer. Designed for use in low-load applications.



MESH CLIP

Especially low-priced spacer. Designed for use in low-load applications, like pre-assembly factories.



NORM CLIP

Extremely stable plastic spacer. Designed for heavy loads and large bar support.



CLIP CHAIR

Designed for on-grade or precasting with rebar. Wide base minimizes tipping. Rebar snaps into chair easily. Minimal formwork contact.



| PART NUMBER | DESCRIPTION | QTY PER BOX | BAR SIZE | COVER |
|---------------------|-------------------------|----------------|-------------|---------|
| 6748000 | PRECO CLIP | 3,000 | #3 - #4 | 1/2" |
| 3RCL05 | REBAR CLIP | 4,500 | MESH - #4 | 5/8" |
| 3мсь75 | MESH CLIP | | MESH - #1 | 3/4" |
| 3RCL75 | REBAR CLIP | 4,500 | MESH - #5 | 3/4" |
| 510075 | CLIP CHAIR | | #2 - #6 | 3/4" |
| 3norm20 | NORM CLIP | | #2 - #7 | 3/4" |
| 161202-459 | SUPPORT CLIP (NO BASE) | | #3 - #4 | 3/4" |
| 161202-4591 | SUPPORT CLIP (W / BASE) | | #3 - #4 | 3/4" |
| 6748020 | PRECO CLIP | 3,230 | #4 - #5 | 3/4" |
| 3мсь10 | MESH CLIP | 10,200 | MESH - #1 | 1" |
| 51м010 | SUPPORT CLIP (NO BASE) | | MESH - #1 | 1" |
| 51мв10 | SUPPORT CLIP (W / BASE) | | MESH - #1 | 1" |
| 6RCL10 | REBAR CLIP | 3,200 | MESH - #5 | 1" |
| 3RCL10 | REBAR CLIP | | MESH - #5 | 1" |
| 512010 | SUPPORT CLIP (NO BASE) | | #2 | 1" |
| 512в10 | SUPPORT CLIP (W / BASE) | | #2 | 1" |
| 6748030 | PRECO CLIP | 4,000 | #2 - #3 | 1" |
| 510100 | CLIP CHAIR | 2,100 | #2 - #6 | 1" |
| 3norm25 | NORM CLIP | 1,000 | #2 - #7 | 1" |
| 513010 | SUPPORT CLIP (NO BASE) | | #3 | 1" |
| 513в10 | SUPPORT CLIP (W / BASE) | | #3 | 1" |
| 161202-4599 | SUPPORT CLIP (NO BASE) | 3,000 | #3 - #4 | 1" |
| 161202-460 | SUPPORT CLIP (W / BASE) | | #3 - #4 | 1" |
| 1сн345100 | CLIP CHAIR | 2,500 | #3 - #5 | 1" |
| 514010 | SUPPORT CLIP (NO BASE) | | #4 | 1" |
| 514в10 | SUPPORT CLIP (W / BASE) | | #4 | 1" |
| 6748040 | PRECO CLIP | 3,600 | #4 - #6 | 1" |
| 515010 | SUPPORT CLIP (NO BASE) | | #5 | 1" |
| 515 _B 10 | SUPPORT CLIP (W / BASE) | | #5 | 1" |
| 516010 | SUPPORT CLIP (NO BASE) | | #6 | 1" |
| 516в10 | SUPPORT CLIP (W / BASE) | | #6 | 1" |
| 3snap30 | SNAP CLIP | | MESH - #4 | 1 1/4 " |
| 3RCL12 | REBAR CLIP | 3,000 | MESH - #5 | 1 1/4 " |
| 510125 | CLIP CHAIR | | #2 - #7 | 1 1/4 " |
| 3norm30 | NORM CLIP | | #2 - #7 | 1 1/4 " |

CLIPS

800-836-6113

937-836-9296 * sales@blackthorn-inc.com



6113 BROOKVILLE SALEM ROAD CLAYTON OH 45315 www.blackthorn-inc.comsales@blackthorn-inc.com

PRECO CLIP

Designed to position horizontal reinforcement. Allows for easy concrete flow for maximum bond.



PAVING SAND CLIP

Designed for use on-grade. Wide variety of applications. Ideal for highway paving applications. D.O.T. approved in most states.



SNAP CLIP

Stable and sturdy plastic spacer. Designed for top reinforcement. Low-cost. Good concrete flow. Minimal formwork contact due to edge position.



REBAR SUPPORT CLIP

Designed to be used for "at grade" or precast applications with the use of rebar or post-tension cable. This clip comes with or without a wide supporting base. The supporting base allows the clip to stand securely. The rod snaps easily into the clip, eliminating wire tying. Made of non-corrosive polypropylene, which is non-conductive, perfect for bridge decks.



| PART NUMBER | DESCRIPTION | QTY PER BOX | BAR SIZE | COVER |
|---------------------|-------------------------|----------------|-------------|--------|
| 3мсь15 | MESH CLIP | 4,900 | MESH - #1 | 1 1/2" |
| 51м015 | SUPPORT CLIP (NO BASE) | | MESH - #1 | 1 1/2" |
| 51мв15 | SUPPORT CLIP (W / BASE) | | MESH - #1 | 1 1/2" |
| 3snap40 | SNAP CLIP | | MESH - #4 | 1 1/2" |
| 6RCL15 | REBAR CLIP | 2,500 | MESH - #5 | 1 1/2" |
| 512015 | SUPPORT CLIP (NO BASE) | | #2 | 1 1/2" |
| 512в15 | SUPPORT CLIP (W / BASE) | | #2 | 1 1/2" |
| 6748060 | PRECO CLIP | 2,000 | #2 - #3 | 1 1/2" |
| 66кам40 | RAM CLIP | | #2 - #5 | 1 1/2" |
| 510150 | CLIP CHAIR | 2,200 | #2 - #7 | 1 1/2" |
| 3norм40 | NORM CLIP | 775 | #2 - #7 | 1 1/2" |
| 6748120 | BARSPAN CLIP | | #2 - #8 | 1 1/2" |
| 513015 | SUPPORT CLIP (NO BASE) | | #3 | 1 1/2" |
| 513в15 | SUPPORT CLIP (W / BASE) | | #3 | 1 1/2" |
| 4ppsc150bx | PAVING SAND CLIP | | #3 - #4 | 1 1/2" |
| 1сн345150 | CLIP CHAIR | 2,700 | #3 - #5 | 1 1/2" |
| 161202-4601 | SUPPORT CLIP (W / BASE) | 900 | #3 - #6 | 1 1/2" |
| 514015 | SUPPORT CLIP (NO BASE) | | #4 | 1 1/2" |
| 514в15 | SUPPORT CLIP (W / BASE) | | #4 | 1 1/2" |
| 6748070 | PRECO CLIP | 2,350 | #4 - #6 | 1 1/2" |
| 515015 | SUPPORT CLIP (NO BASE) | 3,200 | #5 | 1 1/2" |
| 515 _B 15 | SUPPORT CLIP (W / BASE) | | #5 | 1 1/2" |
| 516015 | SUPPORT CLIP (NO BASE) | | #6 | 1 1/2" |
| 516в15 | SUPPORT CLIP (W / BASE) | | #6 | 1 1/2" |
| 3мсь20 | MESH CLIP | | MESH - #1 | 2" |
| 51м020 | SUPPORT CLIP (NO BASE) | | MESH - #1 | 2" |
| 51мв20 | SUPPORT CLIP (W / BASE) | | MESH - #1 | 2" |
| 3snap50 | SNAP CLIP | | MESH - #4 | 2" |
| 6RCL20 | REBAR CLIP | 1,600 | MESH - #6 | 2" |
| 512020 | SUPPORT CLIP (NO BASE) | 2,720 | #2 | 2" |
| 512в20 | SUPPORT CLIP (W / BASE) | | #2 | 2" |
| 510200 | CLIP CHAIR | 1,200 | #2 - #7 | 2" |
| 3norм50 | NORM CLIP | 600 | #2 - #7 | 2" |
| 513020 | SUPPORT CLIP (NO BASE) | | #3 | 2" |
| 513в20 | SUPPORT CLIP (W / BASE) | | #3 | 2" |
| 4PPSC200BX | PAVING SAND CLIP | | #3 - #4 | 2" |
| 161202-4611 | SUPPORT CLIP (NO BASE) | 1,100 | #3 - #5 | 2" |
| 161202-461 | SUPPORT CLIP (W / BASE) | 650 | #3 - #5 | 2" |
| 514020 | SUPPORT CLIP (NO BASE) | | #4 | 2" |
| 514в20 | SUPPORT CLIP (W / BASE) | | #4 | 2" |
| 6748090 | PRECO CLIP | 1,600 | #4 - #6 | 2" |
| 515020 | SUPPORT CLIP (NO BASE) | | #5 | 2" |
| 515в20 | SUPPORT CLIP (W / BASE) | | #5 | 2" |
| 516020 | SUPPORT CLIP (NO BASE) | | #6 | 2" |
| 516в20 | SUPPORT CLIP (W / BASE) | 1,340 | #6 | 2" |

CLIPS

800-836-6113

937-836-9296 * sales@blackthorn-inc.com



6113 BROOKVILLE SALEM ROAD CLAYTON OH 45315 www.blackthorn-inc.comsales@blackthorn-inc.com

PRECO CLIP

Designed to position horizontal reinforcement. Allows for easy concrete flow for maximum bond.



PAVING SAND CLIP

Designed for use on-grade. Wide variety of applications. Ideal for highway paving applications. D.O.T. approved in most states.



SNAP CLIP

Stable and sturdy plastic spacer. Designed for top reinforcement. Low-cost. Good concrete flow. Minimal formwork contact due to edge position.



REBAR SUPPORT CLIP

Designed to be used for "at grade" or precast applications with the use of rebar or post-tension cable. This clip comes with or without a wide supporting base. The supporting base allows the clip to stand securely. The rod snaps easily into the clip, eliminating wire tying. Made of non-corrosive polypropylene, which is non-conductive, perfect for bridge decks.



| PART NUMBER | DESCRIPTION | QTY PER BOX | BAR SIZE | COVER |
|---------------------|-------------------------|----------------|-------------|--------|
| 3RCL24 | REBAR CLIP | 1,600 | MESH - #6 | 2 1/4" |
| 3snap60 | SNAP CLIP | | MESH - #4 | 23/8" |
| 51м025 | SUPPORT CLIP (NO BASE) | | MESH - #1 | 21/2" |
| 51мв25 | SUPPORT CLIP (W / BASE) | | MESH - #1 | 2 1/2" |
| 3RCL25 | REBAR CLIP | 930 | MESH - #6 | 21/2" |
| 6RCL25 | REBAR CLIP | | MESH - #6 | 21/2" |
| 512025 | SUPPORT CLIP (NO BASE) | | #2 | 2 1/2" |
| 512в25 | SUPPORT CLIP (W / BASE) | | #2 | 2 1/2" |
| 513025 | SUPPORT CLIP (NO BASE) | | #3 | 2 1/2" |
| 513в25 | SUPPORT CLIP (W / BASE) | | #3 | 2 1/2" |
| 161202-4621 | SUPPORT CLIP (NO BASE) | 1,050 | #3 - #5 | 2 1/2" |
| 161202-462 | SUPPORT CLIP (W / BASE) | 650 | #3 - #5 | 2 1/2" |
| 514025 | SUPPORT CLIP (NO BASE) | | #4 | 2 1/2" |
| 514в25 | SUPPORT CLIP (W / BASE) | 840 | #4 | 2 1/2" |
| 515025 | SUPPORT CLIP (NO BASE) | | #5 | 2 1/2" |
| 515 _B 25 | SUPPORT CLIP (W / BASE) | | #5 | 2 1/2" |
| 516025 | SUPPORT CLIP (NO BASE) | | #6 | 2 1/2" |
| 516в25 | SUPPORT CLIP (W / BASE) | | #6 | 21/2" |
| 3snap70 | SNAP CLIP | | MESH - #4 | 23/4" |
| 51м030 | SUPPORT CLIP (NO BASE) | | MESH - #1 | 3" |
| 51мв30 | SUPPORT CLIP (W / BASE) | | MESH - #1 | 3" |
| 3snap80 | SNAP CLIP | 460 | MESH - #4 | 3" |
| 512030 | SUPPORT CLIP (NO BASE) | | #2 | 3" |
| 512в30 | SUPPORT CLIP (W / BASE) | | #2 | 3" |
| 3RCL30 | REBAR CLIP | 510 | #2 - #6 | 3" |
| 513030 | SUPPORT CLIP (NO BASE) | | #3 | 3" |
| 513в30 | SUPPORT CLIP (W / BASE) | | #3 | 3" |
| 161202-463 | SUPPORT CLIP (W / BASE) | 600 | #3 - #5 | 3" |
| 514030 | SUPPORT CLIP (NO BASE) | 750 | #4 | 3" |
| 514в30 | SUPPORT CLIP (W / BASE) | | #4 | 3" |
| 515030 | SUPPORT CLIP (NO BASE) | 670 | #5 | 3" |
| 515 _B 30 | SUPPORT CLIP (W / BASE) | | #5 | 3" |
| 516030 | SUPPORT CLIP (NO BASE) | | #6 | 3" |
| 516в30 | SUPPORT CLIP (W / BASE) | 415 | #6 | 3" |
| 3snap90 | SNAP CLIP | | MESH - #4 | 3 1/2" |
| 161202-4641 | SUPPORT CLIP (NO BASE) | 590 | #3 - #5 | 3 1/2" |
| 161202-4639 | SUPPORT CLIP (W / BASE) | 500 | #3 - #5 | 3 1/2" |

CLIPS

800-836-6113

937-836-9296 • sales@blackthorn-inc.com

BLACKTHORN

- 6113 BROOKVILLE SALEM ROAD
- www.blackthorn-inc.com
- CLAYTON OH 45315 *
- sales@blackthorn-inc.com

PRECO CLIP

Designed to position horizontal reinforcement. Allows for easy concrete flow for maximum bond.



PAVING SAND CLIP

Designed for use on-grade. Wide variety of applications. Ideal for highway paving applications. D.O.T. approved in most states.



| PART NUMBER | DESCRIPTION | QTY PER BOX | BAR SIZE | COVER |
|----------------|-------------------------|----------------|-------------|---------|
| 3snap100 | SNAP CLIP | 645 | MESH - #4 | 4" |
| 4PPSC400BX | PAVING SAND CLIP | | #3 - #4 | 4" |
| 161202-4650 | SUPPORT CLIP (W / BASE) | 370 | #4 - #5 | 4" |
| 161202-4653 | SUPPORT CLIP (NO BASE) | 430 | #4 - #5 | 4 1/2" |
| 161202-4652 | SUPPORT CLIP (W / BASE) | 500 | #4 - #5 | 4 1/2" |
| 4PPSC500BX | PAVING SAND CLIP | | #3 - #4 | 5" |
| 161202-4655 | SUPPORT CLIP (NO BASE) | 420 | #4 - #5 | 5" |
| 161202-4654 | SUPPORT CLIP (W / BASE) | 400 | #4 - #5 | 5" |
| 161202-4657 | SUPPORT CLIP (NO BASE) | 370 | #4 - #5 | 5 1/2 " |
| 161202-4656 | SUPPORT CLIP (W / BASE) | 360 | #4 - #5 | 5 1/2" |
| 4PPSC600BX | PAVING SAND CLIP | | #3 - #4 | 6" |
| 161202-4658 | SUPPORT CLIP (W / BASE) | 180 | #4 - #5 | 6" |
| 161202-4659 | SUPPORT CLIP (W / BASE) | 95 | #4 - #5 | 7" |

CLIPS

800-836-6113

937-836-9296 * sales@blackthorn-inc.com

BLACKTHORN

6113 BROOKVILLE SALEM ROAD & CLAYTON OH 45315

www.blackthorn-inc.comsales@blackthorn-inc.com