


CROSS CHAIR (for TILT-UP)

New, innovatively designed cross chair is a stable, sturdy chair for top and bottom reinforcement. Excellent concrete flow with minimum form contact. Excellent chair for tilt-up and other form work.




X-CHAIR - PXC

Designed for elevated slabs & precast. Supports mesh and rebar. Superior strength. Modest surface contact.




STACK CHAIR

Extremely stable, sturdy reinforcing spacer for structural precast. May be stacked on top of each other for proper coverage. Sand plate available.



E-Z CHAIR - PEZ

Designed for maximum aggregate flow and concrete consolidation. High load capacity. Provides minimal surface contact. Applications include slab, precast, DOT, single-mat rebar or wire mesh., tilt-wall, side-form spacer, and On-Grade when used with sandplate.



PART NUMBER	DESCRIPTION	QTY PER BOX	BAR SIZE	COVER
4PXC050	X-CHAIR - PXC	6,150	MESH - #7	1/2 "
3AC05	AC CHAIR	1,000	MESH - #8	5/8 "
3AC05F	AC CHAIR - F		MESH - #8	5/8 "
6747370	E.A. MESH CHAIR		ALL MESH	3/4 "
4PXC075	X-CHAIR - PXC	2,580	MESH - #7	3/4 "
3AC75	AC CHAIR		MESH - #8	3/4 "
3AC75F	AC CHAIR - F		MESH - #8	3/4 "
4PEZ075	E-Z CHAIR - PEZ		MESH - #11	3/4 "
3CR75	CROSS CHAIR		ALL	3/4 "
4PBC075/100	BAR CHAIR - PBC		MESH - #10	3/4 " - 1"
6747290	E.A. MESH CHAIR		ALL MESH	1"
3AC10	AC CHAIR		MESH - #8	1"
3AC10F	AC CHAIR - F		MESH - #8	1"
4PEZ100	E-Z CHAIR - PEZ		MESH - #11	1"
3CR10	CROSS CHAIR	1,270	ALL	1"
6747280	E.A. REBAR CHAIR	2,200	ALL	1"
6747001	PAVING CHAIR	1,285	ALL	1"
3SF25/30	STYROFIX - EXTRA	250	ALL	1" - 1 1/4 "
3AC14	AC CHAIR		MESH - #8	1 1/4 "
3AC14F	AC CHAIR - F		MESH - #8	1 1/4 "
4PEZ125	E-Z CHAIR - PEZ		MESH - #11	1 1/4 "
3CR12	CROSS CHAIR		ALL	1 1/4 "
6747251	PAVING CHAIR		ALL	1 1/4 "
4PBC125/150	BAR CHAIR - PBC		MESH - #8	1 1/4 " - 1 1/2 "
6747250	E.A. MESH CHAIR	2,550	ALL MESH	1 1/2 "
3AC15	AC CHAIR		MESH - #8	1 1/2 "
3AC15F	AC CHAIR - F	1,000	MESH - #8	1 1/2 "
4PEZ150	E-Z CHAIR - PEZ	1,135	MESH - #11	1 1/2 "
3CR15	CROSS CHAIR	900	ALL	1 1/2 "
6747260	E.A. REBAR CHAIR	2,100	ALL	1 1/2 "
6747002	PAVING CHAIR	770	ALL	1 1/2 "
6SC150	STACK CHAIR	380	ALL	1 1/2 "
4PCC155	CASTLE CHAIR - PCC		MESH - #10	1 1/2 " - 1 3/4 "
3SF40/50	STYROFIX - EXTRA	800	ALL	1 1/2 " - 2"
4PEZ175	E-Z CHAIR - PEZ	920	MESH - #11	1 3/4 "
6747752	PAVING CHAIR		ALL	1 3/4 "
4PBC175/200	BAR CHAIR - PBC		MESH - #8	1 3/4 " - 2"

CHAIRS

800-836-6113

937-836-9296 * sales@blackthorn-inc.com

BLACKTHORN
LLC

6113 BROOKVILLE SALEM ROAD * www.blackthorn-inc.com
CLAYTON OH 45315 * sales@blackthorn-inc.com

AC CHAIR (1)

Stable spacer for vertical and horizontal reinforcement. Good concrete flow. Tapered legs to ensure minimal form contact.

AC CHAIR-F (2)


Same design as the AC Chair (above), except with flat bottom legs for more stability. Designed for use with manholes, septic tanks, and double-tees. Sand plate available.

AC CHAIR-K (STACKABLE) (3)

Designed for top reinforcement. HEAVY DUTY, STACKABLE CHAIR! Can be used with any bar size. Sand plate available.

AC CHAIR-S (STACKABLE) (4)


Stackable spacer designed for vertical and horizontal reinforcement. Can be used with any bar size. Sand plate available.

**EXPOSED AGGREGATE REBAR CHAIR**

Durable plastic chairs to be used with all rebar sizes in exposed aggregate applications. Specially designed to eliminate spacer from protruding through product.

EXPOSED AGGREGATE MESH CHAIR

Durable plastic chairs to be used with all mesh sizes in exposed aggregate applications. Specially designed to eliminate spacer from protruding through product.

REBAR**MESH**

PART NUMBER	DESCRIPTION	QTY PER BOX	BAR SIZE	COVER
6747330	E.A.MESH CHAIR	1,210	ALL MESH	2"
3AC20	AC CHAIR		MESH - #8	2"
3AC20F	AC CHAIR - F		MESH - #8	2"
4PEZ200	E-Z CHAIR - PEZ	770	MESH - #11	2"
3CR20	CROSS CHAIR		ALL	2"
6747320	E.A.REBAR CHAIR	840	ALL	2"
6747003	PAVING CHAIR		ALL	2"
3AC20K	AC CHAIR-K		ALL	2"
6sc200	STACK CHAIR	350	ALL	2"
4PCC205	CASTLE CHAIR - PCC		MESH - #10	2" - 2 1/4"
3SF50/60	STYROFIX- EXTRA	425	ALL	2" - 2 2/3"
4PEZ225	E-Z CHAIR - PEZ		MESH - #11	2 1/4"
3CR22	CROSS CHAIR		ALL	2 1/4"
6747253	PAVING CHAIR		ALL	2 1/4"
4PBC225/250	BAR CHAIR - PBC		MESH - #8	2 1/4" - 2 1/2"
3AC60s	AC CHAIR - S		ALL	2 3/8"
6747310	E.A.MESH CHAIR		ALL MESH	2 1/2"
4PEZ250	E-Z CHAIR - PEZ	400	MESH - #11	2 1/2"
3CR25	CROSS CHAIR		ALL	2 1/2"
6747300	E.A.REBAR CHAIR	770	ALL	2 1/2"
3AC25K	AC CHAIR-K		ALL	2 1/2"
6747004	PAVING CHAIR		ALL	2 1/2"
6sc250	STACK CHAIR		ALL	2 1/2"
3SF60/70	STYROFIX- EXTRA		ALL	2 3/8" - 2 3/4"
4PCC255	CASTLE CHAIR - PCC		MESH - #10	2 1/2" - 2 3/4"
4PEZ275	E-Z CHAIR - PEZ	400	MESH - #11	2 3/4"
4PTC275	TOWER CHAIR - PTC		MESH - #8	2 3/4"
3CR27	CROSS CHAIR		ALL	2 3/4"
6747754	PAVING CHAIR		ALL	2 3/4"
3AC70s	AC CHAIR - S		ALL	2 3/4"
3SF70/80	STYROFIX- EXTRA		ALL	2 3/4" - 3 1/8"
66747350	E.A.MESH CHAIR		ALL MESH	3"
4PEZ300	E-Z CHAIR - PEZ	525	MESH - #11	3"
4PTC300	TOWER CHAIR - PTC		MESH - #8	3"
3CR30	CROSS CHAIR	200	ALL	3"
3AC75s	AC CHAIR - S	180	ALL	3"
6747005	PAVING CHAIR	570	ALL	3"
6747360	E.A.REBAR CHAIR	380	ALL	3"
3AC30K	AC CHAIR-K		ALL	3"
6sc300	STACK CHAIR	310	ALL	3"
4PCC305	CASTLE CHAIR - PCC	295	MESH - #10	3" - 3 1/4"

CHAIRS

800-836-6113

937-836-9296 * sales@blackthorn-inc.com

BLACKTHORN
LLC6113 BROOKVILLE SALEM ROAD * www.blackthorn-inc.com
CLAYTON OH 45315 * sales@blackthorn-inc.com

CASTLE CHAIR

Designed for on-grade, single mat rebar or mesh, precast, tilt, insulated sandwich panels, etc. Heavy-duty, stackable design. Perfect for insulating foam or nonpenetrable vapor barriers. Supports 500 lbs. + loads. Each chair has two height options, reducing inventory.




PAVING CHAIR

Stable spacer for top and bottom reinforcement. Low cost, good concrete flow.



TOWER CHAIR

Designed for maximum aggregate flow and concrete consolidation. High load capacity. Provides minimal surface contact. Applications include slab, precast, DOT, single-mat rebar or wire mesh., tilt-wall, side-form spacer, and On-Grade when used with sandplate. Straddles bottom rebar mat in double mat application.



PART NUMBER	DESCRIPTION	QTY PER BOX	BAR SIZE	COVER
3AC80s	AC CHAIR - S		ALL	3 1/8 "
4PEZ325	E-Z CHAIR - PEZ		MESH - #11	3 1/4 "
4PTC325	TOWER CHAIR - PTC		MESH - #8	3 1/4 "
6747255	PAVING CHAIR		ALL	3 1/4 "
3CR32	CROSS CHAIR		ALL	3 1/4 "
4PEZ350	E-Z CHAIR - PEZ	400	MESH - #11	3 1/2 "
4PTC350	TOWER CHAIR - PTC		MESH - #8	3 1/2 "
3CR35	CROSS CHAIR	200	ALL	3 1/2 "
3AC90s	AC CHAIR - S		ALL	3 1/2 "
6747006	PAVING CHAIR		ALL	3 1/2 "
6747340	E.A.REBAR CHAIR		ALL	3 1/2 "
3AC35K	AC CHAIR - K		ALL	3 1/2 "
6SC350	STACK CHAIR		ALL	3 1/2 "
4PCC355	CASTLE CHAIR - PCC		MESH - #10	3 1/2 " - 3 3/4 "
3SF90/100	STYROFIX - EXTRA	365	ALL	3 1/2 " - 4 "
4PEZ375	E-Z CHAIR - PEZ		MESH - #11	3 3/4 "
4PTC375	TOWER CHAIR - PTC		MESH - #8	3 3/4 "
6747756	PAVING CHAIR		ALL	3 3/4 "
3CR37	CROSS CHAIR		ALL	3 3/4 "
4PEZ400	E-Z CHAIR - PEZ	260	MESH - #11	4 "
4PTC400	TOWER CHAIR - PTC		MESH - #8	4 "
161302-4644	SUPPORT CHAIR	145	ALL	4 "
3CR40	CROSS CHAIR	200	ALL	4 "
3AC100s	AC CHAIR - S		ALL	4 "
6747007	PAVING CHAIR	410	ALL	4 "
3AC40K	AC CHAIR - K		ALL	4 "
6747380	E.A.REBAR CHAIR	450	ALL	4 "
6SC400	STACK CHAIR	255	ALL	4 "
4PCC405	CASTLE CHAIR - PCC	240	MESH - #10	4 " - 4 1/4 "
4PEZ425	E-Z CHAIR - PEZ		MESH - #11	4 1/4 "
6747257	PAVING CHAIR		ALL	4 1/4 "
3CR42	CROSS CHAIR		ALL	4 1/4 "
4PTC425/450	TOWER CHAIR - PTC		MESH - #8	4 1/4 " - 4 1/2 "
4PEZ450	E-Z CHAIR - PEZ		MESH - #11	4 1/2 "
6CR45	CROSS CHAIR		ALL	4 1/2 "
6747008	PAVING CHAIR		ALL	4 1/2 "
3AC45K	AC CHAIR - K		ALL	4 1/2 "
4PCC455	CASTLE CHAIR - PCC		MESH - #10	4 1/2 " - 4 3/4 "
4PEZ475	E-Z CHAIR - PEZ		MESH - #11	4 3/4 "
6747758	PAVING CHAIR		ALL	4 3/4 "
3CR47	CROSS CHAIR	250	ALL	4 3/4 "
4PTC475/500	TOWER CHAIR - PTC		MESH - #8	4 3/4 " - 5 "

CHAIRS

800-836-6113

937-836-9296 * sales@blackthorn-inc.com

BLACKTHORN
LLC

6113 BROOKVILLE SALEM ROAD * www.blackthorn-inc.com
CLAYTON OH 45315 * sales@blackthorn-inc.com

SUPPORT CHAIR

Designed to support heavy reinforcement in foundations, heavy slabs, and special structures. These chairs will accept any bar diameter and can be easily wire-tied.



STYRO CHAIR-EXTRA

Special spacer with a sand plate. Designed to be used on soft surfaces and insulated material. Extremely stable design with double coverage.



BAR CHAIR

Multiple height combination chair. Pre-assembled. Designed for maximum aggregate flow and concrete consolidation. High load capacity. Provides minimal surface contact. Applications include slab, precast, DOT, single-mat rebar or wire mesh., tilt-wall, side-form spacer, and On-Grade when used with sandplate.



PART NUMBER	DESCRIPTION	QTY PER BOX	BAR SIZE	COVER
4PEZ500	E-Z CHAIR - PEZ		MESH - # 11	5"
161302-4645	SUPPORT CHAIR		ALL	5"
6CR50	CROSS CHAIR	200	ALL	5"
6747009	PAVING CHAIR	390	ALL	5"
3AC50K	AC CHAIR-K	150	ALL	5"
4PCC505	CASTLE CHAIR-PCC		MESH - # 10	5" - 5 1/4"
4PEZ525	E-Z CHAIR - PEZ		MESH - # 11	5 1/4"
6747259	PAVING CHAIR		ALL	5 1/4"
3CR52	CROSS CHAIR		ALL	5 1/4"
4PTC525/550	TOWER CHAIR - PTC		MESH - # 8	5 1/4" - 5 1/2"
4PEZ550	E-Z CHAIR - PEZ		MESH - # 11	5 1/2"
3CR55	CROSS CHAIR	200	ALL	5 1/2"
6747011	PAVING CHAIR		ALL	5 1/2"
3AC55K	AC CHAIR-K		ALL	5 1/2"
4PCC555	CASTLE CHAIR-PCC		MESH - # 10	5 1/2" - 5 3/4"
4PEZ575	E-Z CHAIR - PEZ		MESH - # 11	5 3/4"
4PTC575	TOWER CHAIR - PTC		MESH - # 8	5 3/4"
6747510	PAVING CHAIR		ALL	5 3/4"
3CR57	CROSS CHAIR		ALL	5 3/4"
4PEZ600	E-Z CHAIR - PEZ		MESH - # 11	6"
4PTC600	TOWER CHAIR - PTC		MESH - # 8	6"
161302-4646	SUPPORT CHAIR		ALL	6"
3CR60	CROSS CHAIR	200	ALL	6"
6747012	PAVING CHAIR		ALL	6"
3AC60K	AC CHAIR-K	150	ALL	6"
4PCC605	CASTLE CHAIR-PCC		MESH - # 10	6" - 6 1/4"
67472511	PAVING CHAIR		ALL	6 1/4"
6CR625	CROSS CHAIR		ALL	6 1/4"
4PTC625/650	TOWER CHAIR - PTC		MESH - # 8	6 1/4" - 6 1/2"
6747012	PAVING CHAIR		ALL	6 1/2"
6CR650	CROSS CHAIR		ALL	6 1/2"
6747512	PAVING CHAIR		ALL	6 3/4"
6CR675	CROSS CHAIR		ALL	6 3/4"
4PTC675/700	TOWER CHAIR - PTC		MESH - # 8	6 3/4" - 7"
161302-4647	SUPPORT CHAIR	150	ALL	7"
11IHC-A70	INDIVID HI CHAIR-A		ALL	7"
6747013	PAVING CHAIR		ALL	7"
6CR700	CROSS CHAIR	84	ALL	7"
67472513	PAVING CHAIR		ALL	7 1/4"
6CR725	CROSS CHAIR		ALL	7 1/4"
4PTC725/750	TOWER CHAIR-PTC		MESH - # 8	7 1/4" - 7 1/2"

CHAIRS

800-836-6113

937-836-9296 • sales@blackthorn-inc.com

BLACKTHORN
LLC


6113 BROOKVILLE SALEM ROAD • www.blackthorn-inc.com
CLAYTON OH 45315 • sales@blackthorn-inc.com

BASEPLATE DISC

Push-on baseplate for AC Chairs with concrete covering over one inch (1"). For use on insulating material and soft bases.


SANDPLATE - PSP

Push-on baseplate for E-Z Chairs (PEZ). For use with slab for on-grade conditions. Provide stable platform.



SANDPLATE - PTCSP

Push-on baseplate for Tower Chairs (PTC). For use with slab for on-grade conditions. Provide stable platform.



PART NUMBER	DESCRIPTION	QTY PER BOX	BAR SIZE	COVER
6747014	PAVING CHAIR		ALL	7 1/2 "
6CR750	CROSS CHAIR		ALL	7 1/2 "
4PTC775	TOWER CHAIR-PTC		MESH - #8	7 3/4 "
6747514	PAVING CHAIR		ALL	7 3/4 "
6CR775	CROSS CHAIR		ALL	7 3/4 "
4PTC800	TOWER CHAIR-PTC		MESH - #8	8 "
161302-4648	SUPPORT CHAIR		ALL	8 "
6747015	PAVING CHAIR		ALL	8 "
6CR800	CROSS CHAIR		ALL	8 "
67472515	PAVING CHAIR		ALL	8 1/4 "
4PTC825/850	TOWER CHAIR-PTC		MESH - #8	8 1/4 " - 8 1/2 "
6747016	PAVING CHAIR		ALL	8 1/2 "
6747516	PAVING CHAIR		ALL	8 3/4 "
4PTC875/900	TOWER CHAIR-PTC		MESH - #8	8 3/4 " - 9 "
6747017	PAVING CHAIR	150	ALL	9 "
67472517	PAVING CHAIR		ALL	9 1/4 "
4PTC925/950	TOWER CHAIR-PTC		MESH - #8	9 1/4 " - 9 1/2 "
6747018	PAVING CHAIR		ALL	9 1/2 "
6747518	PAVING CHAIR		ALL	9 3/4 "
4PTC975/100	TOWER CHAIR-PTC		MESH - #8	9 3/4 " - 10 "
6747019	PAVING CHAIR		ALL	10 "
3DISC-K	BASEPLATE DISC			
3DISC-M	BASEPLATE DISC			
4PSP300	SANDPLATE - PSP		Fits: < 3" E-Z CHAIR	
4PSP500	SANDPLATE - PSP		Fits: 3" - 5" E-Z CHAIR	
4PSP600	SANDPLATE - PSP		Fits: > 5" E-Z CHAIR	
4PTCSP500	SANDPLATE - PTCSP			

CHAIRS

800-836-6113

937-836-9296 * sales@blackthorn-inc.com

BLACKTHORN
LLC

6113 BROOKVILLE SALEM ROAD * www.blackthorn-inc.com
CLAYTON OH 45315 * sales@blackthorn-inc.com